



PO Box 30712 Charleston, SC 29417 2040 Savage Road Charleston, SC 29407

arleston, SC 29407 P 843.556.8171 F 843.766.1178

gel.com

March 29, 2018

Mr. Scot Fitzgerald CH2MHill Plateau Remediation Company MSIN R3-50 CHPRC PO Box 1600 Richland, Washington 99352

a member of The GEL Group INC

Re: CHPRC SAF W18-002 Work Order: 445441 SDG: GEL445441

Dear Mr. Fitzgerald:

GEL Laboratories, LLC (GEL) appreciates the opportunity to provide the enclosed analytical results for the sample(s) we received on March 08, 2018. This original data report has been prepared and reviewed in accordance with GEL's standard operating procedures.

Our policy is to provide high quality, personalized analytical services to enable you to meet your analytical needs on time every time. We trust that you will find everything in order and to your satisfaction. If you have any questions, please do not hesitate to call me at (843) 556-8171, ext. 4505.

Sincerely,

Heather Shaffer

Deatter Shaffer

Project Manager


Purchase Order: 300071 -7H

Chain of Custody: W18-002-078, W18-002-081, W18-002-082 and W18-002-084

Enclosures

#### Table of Contents

| Case Narrative                                | 1  |
|---|----|
| Chain of Custody and Supporting Documentation | 7  |
| Data Review Qualifier Definitions             | 13 |
| Laboratory Certifications                     | 15 |
| Metals Analysis                               | 17 |
| Case Narrative                                | 18 |
| Sample Data Summary                           | 22 |
| Quality Control Summary                       | 31 |
| General Chem Analysis                         | 43 |
| Case Narrative                                | 44 |
| Sample Data Summary                           | 51 |
| Quality Control Summary                       | 58 |



#### **General Narrative** for **CH2MHill Plateau Remediation Company** CHPRC SAF W18-002 SDG: GEL445441

March 29, 2018

#### **Laboratory Identification:**

**GEL Laboratories LLC** 2040 Savage Road Charleston, South Carolina 29407 (843) 556-8171

#### **Summary**

#### Sample receipt

The sample(s) arrived at GEL Laboratories, LLC, Charleston, South Carolina on March 08, 2018, for analysis. The samples were delivered with proper chain of custody documentation and signatures. All sample containers arrived without any visible signs of tampering or breakage. There are no additional comments concerning sample receipt.

Items of Note All efforts were made by the lab to meet any short hold times. Samples that were analyzed outside of the initial hold time but still within 2X hold time will be noted in the lab case narrative.

#### **Sample Identification**

The laboratory received the following samples:

| Laboratory            | Sample             |
|-----------------------|--------------------|
| <b>Identification</b> | <b>Description</b> |
| 445441001             | B3H3P3             |
| 445441002             | B3H3P0             |
| 445441003             | B3H3T0             |
| 445441004             | B3H3K2             |
| 445441005             | B3H3J9             |
| 445441006             | B3H3L8             |

#### **Case Narrative**

Sample analyses were conducted using methodology as outlined in GEL Laboratories, LLC (GEL) Standard Operating Procedures. Any technical or administrative problems during analysis, data review, and reduction are contained in the analytical case narratives in the enclosed data package.



#### Data Package

The enclosed data package contains the following sections: General Narrative, Chain of Custody and Supporting Documentation, and data from the following fractions: General Chemistry and Metals.

We certify that this package is in compliance with the SOW, both technically and for completeness, including a full description of, explanation of, and corrective actions for, any and all deviations, from either the analyses requested or the case narrative requested. Release of the data contained in this hard copy data package has been authorized by the Laboratory Analytical Manager (or designee) and the laboratory's client services representative as verified by their signatures on this report.

Heather Shaffer Project Manager

Neatter Shaffer

# Technical Case Narrative CH2MHill Plateau Remediation Company (CPRC) SDG #: GEL445441 Work Order #: 445441

#### **Metals**

#### **Determination of Metals by ICP**

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

#### **Quality Control (QC) Information**

#### Method Blank (MB) Statement

The method blanks (MB) analyzed with this SDG met the acceptance criteria. However, where there were positive hits in the method blank, the results were evaluated and appropriately flagged on the data.

| Sample          | Analyte   | Value                  |
|-----------------|-----------|------------------------|
| 1203986126 (MB) | Potassium | 54.4 between (50 - 75) |

#### **Determination of Metals by ICP-MS**

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

#### **Quality Control (QC) Information**

#### Method Blank (MB) Statement

The method blanks (MB) analyzed with this SDG met the acceptance criteria. However, where there were positive hits in the method blank, the results were evaluated and appropriately flagged on the data.

| Sample          | Analyte    | Value                      |
|-----------------|------------|----------------------------|
| 1203986116 (MB) | Molybdenum | 0.204 between (0.2 - 0.25) |
|                 | Tin        | 1.36 between (1 - 2.5)     |

#### **Determination of Metals by ICP-MS**

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

#### **Quality Control (QC) Information**

#### Matrix Spike (MS/MSD) Recovery Statement

The MS/MSD (See Below) did not meet the recommended quality control acceptance criteria for percent recoveries for the following applicable analyte. The post spike recovery was within the required control limits. This verifies the absence of a matrix interference in the post-spike digested sample. The recovery may be attributed to possible sample matrix interference and/or non-homogeneity.

| Sample                           | Analyte | Value          |
|----------------------------------|---------|----------------|
| 1203993121 (Non SDG 445432003MS) | Zinc    | 74* (75%-125%) |

#### **General Chemistry**

#### Cyanide, Total

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

#### **Technical Information**

#### **Sample Dilutions**

The following samples 1203986678 (B3H3P3DUP), 1203986680 (B3H3P3MS), 445441001 (B3H3P3), 445441004 (B3H3K2) and 445441005 (B3H3J9) were diluted because target analyte concentrations exceeded the calibration range.

| Amalasta       | 445441 |     |     |  |  |
|----------------|--------|-----|-----|--|--|
| Analyte        | 001    | 004 | 005 |  |  |
| Cyanide, Total | 2X     | 5X  | 5X  |  |  |

#### Cyanide, Chlorinated

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

#### **Technical Information**

#### **Sample Dilutions**

The following samples 1203986684 (B3H3P3DUP), 445441001 (B3H3P3), 445441004 (B3H3K2) and

445441005 (B3H3J9) were diluted because target analyte concentrations exceeded the calibration range.

| Amalysta             | 4   | 4544 | 1   |
|----------------------|-----|------|-----|
| Analyte              | 001 | 004  | 005 |
| Cyanide, Chlorinated | 2X  | 5X   | 5X  |

#### Cyanide, Amenable to Chlorination

There are no exceptions, anomalies or deviations from the specified methods. All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable.

#### Cyanide, Free

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

#### **Miscellaneous Information**

#### **Additional Comments**

Total CN levels above the MDL for Free CN were detected in samples 445441001 (B3H3P3), 445441002 (B3H3P0), 445441004 (B3H3K2) and 445441005 (B3H3J9). Free CN was performed per SOP (GL-GC-E-073).

#### **Alkalinity**

There are no exceptions, anomalies or deviations from the specified methods. All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable.

#### **Certification Statement**

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

# Chain of Custody and Supporting Documentation

|   | CH | 21 | H  | 1 | 1 | 7 | P  | 1 | a | te | a | u   |   |
|---|----|----|----|---|---|---|----|---|---|----|---|-----|---|
| R | em | e  | li | a | - | 1 | on |   | C | om | P | any | , |

#### CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C.#

W18-002-078

Page 1 of 1

| Collector: Juan Aguilar ICHPRC          | Contact/Requester: Karen Waters-Husted | Telephone No.: 509-376-4650               |
|---|--|---|
| SAF No.: W18-002                        | Sampling Origin: Hanford Site          | Purchase Order/Charge Code: 300071        |
| Project Title: RCRA, February 2018      | Logbook No.: HNF-N-506 - 99/7          | Ice Chest No.: 645-534                    |
| Shipped To (Lab): GEL Laboratories, LLC | Method of Shipment Commercial Carrier  | Bill of Lading/Air Bill No.: 771742795143 |
| Protocol RCRA                           | Priority: 30 Days                      | Offsite Property No.: 9128                |
|   |  |   |

#### POSSIBLE SAMPLE HAZARDS/REMARK

\*\* \*\* Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1

SPECIAL INSTRUCTIONS

N/A

| Sample No. | Filter | * | Date   | Time | No/Type Container | Sample Analysis  | Holding Time | Preservative                      |
|------------|--------|---|--------|------|-------------------|--|--------------|-----------------------------------|
| ВЗНЗРЗ-    | Y      | W | 3-6-18 | 1420 | 1x500-mL-aG       | 9014_CN (FREE): COMMON;<br>9012_CYANIDE (TOTAL): COMMON;<br>9012_CN (AMENABLE): COMMON | · 14 Days    | NaOH to pH<br>>=12 / Cool<br><=6C |
| ВЗНЗР0     | N      | M | 1      |      | 1x250-mL G/P      | 2320_ALKALINITY: GW 01   | 14 Days      | Cool <=6C                         |
| ВЗНЗР0     | N      | W | 1      | 1    | 1x500-mL G/P      | 6010_METALS_ICP: GW 04;<br>6020_METALS_ICPMS: GW 01                                    | 6 Months     | HNO3 to pH <2                     |
| ВЗНЗРО     | N      | W | 3-6-18 | 1420 | 1x500-mL aG       | 9014_CN (FREE): COMMON;<br>9012_CYANIDE (TOTAL): COMMON;<br>9012_CN (AMENABLE): COMMON | 14 Days      | NaOH to pH<br>>=12 / Cool<br><=6C |

| Relinquished By: Obsq Aguillar ICHRRC  | MAR 0 6 2                 | 018 1440                        | Received By Su#1   | MAR 0 6 2018     | 1440                  |  | latrix *                             |
|--|---------------------------|---------------------------------|--|------------------|-----------------------|--|--------------------------------------|
| Print First and Last Name  | Signature                 | Date/Time                       | Print First and Last Name                                  | Signature        | Date/Time             | SE = Sadiment                          | DS = Drum Solids<br>DL = Drum Liquid |
| Relinquished By: SSU-1  Print First and Last Name  | MA<br>Signature           | 09/9<br>R 0 7 2018<br>Date/Time | Received By: Fresh Men<br>ICHPRC Print First and Last Name | MAR<br>Signature | 0 7 2018<br>Date/Time | SO = Solid<br>SL = Sludge<br>W = Water | T = Tissue WI = Wipe L = Liquid      |
| Relinquished By:  Frank Method   Fra | Signature Signature       | AR 0.7 7018<br>Date/Time        | Received By: FEDEX  Print First and Last Name              | Signature        | Date/Time             | O = Oil<br>A = Air                     | V = Vegetation<br>X = Other          |
| Relinquished By: Fed Ex  |                           |                                 | Received By:   |                  | 3/8/18                |  |                                      |
| Print First and Last Name  | Signature                 | Date/Time                       | Print First and Last Name                                  | Signature        | Date/Time             |  |                                      |
| FINAL SAMPLE Disposal Meth   | od (e.g., Return to custo | mer, per lab pro                | ocedure, used in process):                                 | Disposed By:     |                       |  | Date/Time:                           |
|  |                           |                                 | FSR ID = FSR55509  |                  |                       |  | A-6004-842 (REV 3)                   |

REV.

CH2MHill Plateau Remediation Company

### 445441 CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C.# W18-002-081

80 160

Page 1 of 1

| Collector: Juan Aguillar ICHPRC         | Contact/Requester: Karen Waters-Husted | <b>Telephone No.:</b> 509-376-4650         |
|---|--|--|
| <b>SAF No.:</b> W18-002                 | Sampling Origin: Hanford Site          | Purchase Order/Charge Code: 300071         |
| Project Title: RCRA, February 2018      | Logbook No.: HNF-N-506-9919            | Ice Chest No.: GW5-682                     |
| Shipped To (Lab): GEL Laboratories, LLC | Method of Shipment Commercial Carrier  | Bill of Lading/Air Bill No.: 7717 4591 005 |
| Protocol RCRA                           | Priority: 30 Days                      | Offsite Property No.: 9137                 |
|   |  |  |

#### POSSIBLE SAMPLE HAZARDS/REMARK

\*\* \*\* Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1

#### SPECIAL INSTRUCTIONS

Low Volume Wells. Do not use for QC.

| Sample No. | Filter | * | Date   | Time | No/Type Container | Sample Analysis                                     | Holding Time | Preservative  |
|------------|--------|---|--------|------|-------------------|---|--------------|---------------|
| ВЗНЗТО .   | N      | M | 3-7-18 | 1221 | 1x125-mL G/P      | 2320_ALKALINITY: GW 01                              | 14 Days      | Cool <=6C     |
| взнзто     | N      | W | 3-7-18 | 1221 | 1x125-mL G/P      | 6010_METALS_ICP: GW 04;<br>6020_METALS_ICPMS: GW 01 | 6 Months     | HNO3 to pH <2 |

|  |                           | *************************************** |                            |              |           |            |                                      |
|--|---------------------------|---|----------------------------|--------------|-----------|------------|--------------------------------------|
| Relinquished By: Juan Aguilat          | MAR 0 7 201               | 8 1246                                  | Received By: Daniel Klug   | MAR 0 7 2018 | 1240      |            | atrix *                              |
| Print First and Last Name              | Signature                 | Date/Time                               | Print First and Last Name  | Signature    | Date/Time |            | DS = Drum Solids<br>DL = Drum Liquid |
| Relinquished By: Troy Bacon CHPRC TWYL | Bocon MAR O               | 7 2018 1400                             | Received By: FEDEX         |              |           | SO = Solid | T = Tissue                           |
| Print First and Last Name              | Signature                 | Date/Time                               | Print First and Last Name  | Signature    | Date/Time |            | WI = Wipe<br>L = Liquid              |
| Relinquished By: Fed Ex                |                           |   | Received By:               | Chitai       | 3/8/18    | O = Oil    | V = Vegetation                       |
| Print First and Last Name              | Signature                 | Date/Time                               | Print First and Last Name  | Signature    | Date/Time | A = Air    | X = Other                            |
| Relinquished By:                       |                           |   | Received By:               | •            |           |            |                                      |
| Print First and Last Name              | Signature                 | Date/Time                               | Print First and Last Name  | Signature    | Date/Time |            |                                      |
| FINAL SAMPLE Disposal Meth             | od (e.g., Return to custo | mer, per lab pr                         | ocedure, used in process): | Disposed By: |           |            | Date/Time:                           |
| <del>}</del>                           |                           |   |                            |              |           |            |                                      |

#### CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C.# W18-002-082

Page 1 of 1

| Collector: Juan Aguillar Contact/Requester: Karen Waters-Husted Telephone No.: 509-376-4650                      |          |
|--|----------|
| SAF No.: W18-002 Sampling Origin: Hanford Site Purchase Order/Charge Code: 300071                                | 71       |
| Project Title: RCRA, February 2018 Logbook No.: HNF-N-506-99/7 Ice Chest No.: GWS - 53                           | 4        |
| Shipped To (Lab): GEL Laboratories, LLC Method of Shipment Commercial Carrier Bill of Lading/Air Bill No.: 77174 | 12795143 |
| Protocol RCRA Priority: 30 Days Offsite Property No.:  | 41a8     |

#### POSSIBLE SAMPLE HAZARDS/REMARK

\*\* \*\* Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1

#### **SPECIAL INSTRUCTIONS**

Low Volume Wells. Do not use for QC.

| Sample No. | Filter | * | Date   | Time | No/Type Container | Sample Analysis  | Holding Time | Preservative                      |
|------------|--------|---|--------|------|-------------------|--|--------------|-----------------------------------|
| ВЗНЗК2     | Y      | W | 3-6-18 | 1244 | 1x500-mL aG       | 9014_CN (FREE): COMMON;<br>9012_CYANIDE (TOTAL): COMMON;<br>9012_CN (AMENABLE): COMMON | 14 Days      | NaOH to pH<br>>=12 / Cool<br><=6C |
| ВЗНЗЈ9     | N      | W | 3-6-18 | 1244 | 1x125-mL G/P      | 6010_METALS_ICP: GW 04;<br>6020_METALS_ICPMS: GW 01                                    | 6 Months     | HNO3 to pH <2                     |
| ВЗНЗЈ9     | N      | W | 3-6-18 | 1244 | 1x500-mL aG       | 9014_CN (FREE): COMMON;<br>9012_CYANIDE (TOTAL): COMMON;<br>9012_CN (AMENABLE): COMMON | 14 Days      | NaOH to pH<br>>=12 / Cool<br><=6C |

| Relinquished By: Juny Aguillar                    | MAR 0 6                        | 2018 1440                   | Received By SSU# (                      |           | MAR 0 6 2018 | 1440     |                                 | atrix *                              |
|---|--------------------------------|-----------------------------|---|-----------|--------------|----------|---------------------------------|--------------------------------------|
| Print First and Last Name                         |                                | Date/Time                   | Print First and Last Name               | Signa     |              | ato/Timo | 5 = 5011                        | DS = Drum Solids<br>DL = Drum Liquid |
| Relinquished By:  SSU-  Print First and Last Name |                                | MAR 0.7.2018<br>Date/Time   | Received By:  Print First and Last Name | Signa     | MAR ature Da | 07 7nn   | SO = Solid<br>SL = Sludge       | T = Tissue<br>WI = Wipe              |
| Relinquished By:                                  | all Am                         | MAR (1.7. 2018<br>Date/Time | Received By:  Print First and Last Name | Sign      | oturo Do     | ate/Time | W = Water<br>O = Oil<br>A = Air | L = Liquid V = Vegetation X = Other  |
| Print First and Last Name Relinquished By Fed Ex  |                                | Date/Time                   | Received By:                            | Signa     |              | 3 8 8    |                                 |                                      |
| Print First and Last Name                         | Signature                      | Date/Time                   | Print First and Last Name               | ( ) Signa | dture Da     | ate/Time |                                 |                                      |
| FINAL SAMPLE Dispos                               | al Method (e.g., Return to cus | stomer, per lab pr          | ocedure, used in process):              |           | Disposed By: |          |                                 | Date/Time:                           |
| Printed On 1/17/2018                              |                                |                             | FSR ID = FSR57281                       |           |              |          |                                 | A-6004-842 (REV 3)                   |

#### CH2MHill Plateau Remediation Company

#### CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C.# W18-002-084

Page 1 of 1

| Collector:        | in Agullar<br>Manage  | Contact/Requester: Karen Waters-Husted | <b>Telephone No.:</b> 509-376-4650          |
|-------------------|-----------------------|--|---|
| SAF No.:          | W18-002               | Sampling Origin: Hanford Site          | Purchase Order/Charge Code: 300071          |
| Project Title:    | RCRA, February 2018   | Logbook No.: HNF-N-506-99/9            | Ice Chest No.: GVS 68乙                      |
| Shipped To (Lab): | GEL Laboratories, LLC | Method of Shipment Commercial Carrier  | Bill of Lading/Air Bill No.: 7717 4591 0057 |
| Protocol F        | RCRA                  | Priority: 30 Days                      | Offsite Property No.: 9132                  |

#### POSSIBLE SAMPLE HAZARDS/REMARK

\*\* \*\* Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR / IATA Dangerous Goods Regulations but are not releasable per DOE Order 458.1

#### SPECIAL INSTRUCTIONS

Low Volume Wells. Do not use for QC.

| Sample No. | Filter | *  | Date   | Time | No/Type Container | Sample Analysis                                     | Holding Time | Preservative  |
|------------|--------|----|--------|------|-------------------|---|--------------|---------------|
| B3H3L8     | N      | M. | 3-7-18 | 0825 | 1x125-mL G/P      | 2320_ALKALINITY: GW 01                              | 14 Days      | Cool <=6C ·   |
| взнзь8     | N      | W  | 3-7-18 | 0825 | 1x125-mL G/P      | 6010_METALS_ICP: GW 04;<br>6020_METALS_ICPMS: GW 01 | 6 Months     | HNO3 to pH <2 |

| Relinquished By: Juan Aguillar    | N -MAR                | 0720181248           | Received By: Daniel Klug   | VO.   | MAR N      | 7 2018 1240 | . [                      | Matrix *                               |
|-----------------------------------|-----------------------|----------------------|----------------------------|-------|------------|-------------|--------------------------|--|
| Print First and Last Name         | Signature             | Date/Time            | Print First and Last Name  | Sig   | gnature    | Date/Time   | S = Soil<br>SF = Sedimen | DS = Drum Solids<br>t DL = Drum Liquid |
| Relinquished By: Troy Bacon CHPRC | Bacon MI              | NR 0 7 2018 1400     | Received By:               | U     |            |             | SO = Solid               | T = Tissue                             |
| Print First and Last Name         | Signature             | Date/Time            | Print First and Last Name  | Się   | gnature    | Date/Time   | SL = Sludge<br>W = Water | WI = Wipe<br>L = Liquid                |
| Relinquished By: Fed Ex           |                       |                      | Received By:               | Ce-   | Tini       | 3/8/18      | O = Oil                  | V = Vegetation                         |
| Print First and Last Name         | Signature             | Date/Time            | Print First and Last Name  | ( Sig | gpakure    | Date/Time   | A = Air                  | X = Other                              |
| Relinquished By:                  |                       |                      | Received By:               |       | ,          |             |                          |  |
| Print First and Last Name         | Signature             | Date/Time            | Print First and Last Name  | Sig   | gnature    | Date/Time   |                          |  |
| FINAL SAMPLE Disposal Metho       | od (e.g., Return to c | ustomer, per lab pro | ocedure, used in process): |       | Disposed B | Sy:         |                          | Date/Time:                             |

REV.

GEL Laboratories LLC

| Client: CPRC   |     |                | <del></del> | SAMPLE RECEIPT & REVIEW FORM  |
|--|-----|----------------|-------------|---|
|  | ·   |                |             | G/AR/COC/Work Order: 445441   |
| Received By: Chakeris Tarplin  |     |                | Da          | te Received: Marcin 08, 2018  |
| Carrier and Tracking Number  |     |                |             | Circle Applicable: FedEx Express FedEx Ground UPS Field Services Courier Other  |
| 1  |     |                | -           | 771744210691  |
| Suspected Hazard Information   | Yes | S <sub>o</sub> | *If ]       | 771745910057 771743795143  Net Counts > 100cpm on samples not marked "radioactive", contact the Radiation Safety Group for further estigation.  |
| Shipped as a DOT Hazardous?  | +   | <u> </u>       |             | estigation.  ard Class Shipped:  UN#:   |
| COC/Samples marked or classified as radioactive?                         | K   |                | Max         | cimum Net Counts Observed* (Observed Counts - Area Background Counts): CPM mR/Hr ssified as: (Rad ) Rad 2 Rad 3   |
| s package, COC, and/or Samples marked HAZ?                               |     | X              | If ye       | ss, select Hazards below, and contact the GEL Safety Group. 3's Flammable Foreign Soil RCRA Asbestos Beryllium Other:   |
| Sample Receipt Criteria  | Yes | NA             | ž           | Comments/Qualifiers (Required for Non-Conforming Items)   |
| Shipping containers received intact and sealed?                          | X   |                |             | Circle Applicable: Seals broken Damaged container Leaking container Other (describe)  |
| 2 Chain of custody documents included with shipment?                     | X   |                |             |   |
| Samples requiring cold preservation within $(0 \le 6 \text{ deg. C})$ ?* | У   |                |             | Preservation Method Wet Ico Ice Packs Dry ice None Other:  *all temperatures are recorded in Celsius  TEMP: 2 C   |
| Daily check performed and passed on IR temperature gun?                  | χ   |                |             | Temperature Device Serial #: IR4-17 Secondary Temperature Device Serial # (If Applicable):  |
| 5 Sample containers intact and sealed?                                   | X   |                |             | Circle Applicable: Seals broken Damaged container Leaking container Other (describe)  |
| Samples requiring chemical preservation at proper pH?                    | χ   |                |             | Sample ID's and Containers Affected:  |
| 7 Do any samples require Volatile<br>Analysis?                           | Х   |                |             | If Preservation added, Lot#:  If Yes, Are Encores or Soil Kits present? Yes No (If yes, take to VOA Freezer)  Do VOA vials contain acid preservation? Yes No N/A (If unknown, select No)  VOA vials free of headspace? Yes No N/A  Sample ID's and containers affected: |
| Samples received within holding time?                                    | X   |                | j           | D's and tests affected:   |
| Sample ID's on COC match ID's on bottles?                                | X   |                | 1           | Sample ID's and containers affected:  |
| Date & time on COC match date & time on bottles?                         | X   |                | - 15        | Sample ID's affected:   |
| Number of containers received match number indicated on COC?             | X   |                | S           | Sample ID's affected:   |
| Are sample containers identifiable as GEL provided?                      |     | ,              | X           |   |
| COC form is properly signed in relinquished/received sections?           | Λ   |                | T           |   |
| mments (Use Continuation Form if needed):                                |     | •              |             |   |
| PM (or PMA) review   |     |                | /1          | Date 3/9/18 Page 1 of 1   |

GL-CHL-SR-001 Rev 5

# Data Review Qualifier Definitions

#### **GEL LABORATORIES LLC**

2040 Savage Road Charleston, SC 29407 (843) 556-8171

REV. 0
Report Date: 29–MAR–18


#### Project Specific Qualifier Definitions for GEL Client Code: CPRC


| Qualifier | Qualifier Definition  | Department        | Fraction      |
|-----------|---|-------------------|---------------|
| U         | Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.  |                   |               |
| J         | The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate). Value is estimated                                | Organics          |               |
| Р         | Aroclor target analyte with greater than 25% difference between column analyses.  | Organics          |               |
| С         | Analyte has been confirmed by GC/MS analysis  | Organics          | Pesticide     |
| В         | The analyte was detected in both the associated QC blank and in the sample.   | Organics          |               |
| E         | Concentration exceeds the calibration range of the instrument   | Organics          |               |
| A         | The TIC is a suspected aldol–condensation product   | Organics          | Semi-Volatile |
| X         | Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier  |                   |               |
| N         | Spike Sample recovery is outside control limits.  |                   |               |
| *         | Duplicate analysis not within control limits  | Inorganics        |               |
| >         | Result greater than quantifiable range or greater than upper limit of the analysis range  | General Chemistry |               |
| Z         | Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier  |                   |               |
| В         | The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate).   | Inorganics        | Metals        |
| )         | Results are reported from a diluted aliquot of sample.  |                   |               |
|           | Reported value is estimated due to interferences. See comment in narrative.   | Inorganics        | Metals        |
| Л         | Duplicate precision not met.  | Inorganics        | Metals        |
| )         | Analyte failed to recover within LCS limits (0rganics only)   | Organics          |               |
| 3         | Reported value determined by the Method of Standard Additions (MSA)   | Inorganics        |               |
|           | Spike and/or spike duplicate sample recovery is outside control limits.   | Organics          |               |
| V         | Post–digestion spike recovery for GFAA out of control limit. Sample absorbency < 50% of spike absorbency.   | Inorganics        |               |
| 3         | The analyte was detected in the associated method blank >/= MDC or >5% sample activity.   | Radiological      |               |
| 1         | Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier  |                   |               |
| ÷         | Correlation coefficient for Method of Standard Additions (MSA) is < 0.995   | Inorganics        |               |
| 3         | The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate).   | General Chemistry |               |
| C         | Target analyte was detected in the sample and the associated blank. The associated blank concentration is >= EQL or is > 5% of the measured concentration and/or decision level for associated samples. | Inorganics        | Metals        |
| С         | Target analyte was detected in the sample and the associated blank. The associated blank concentration is >= EQL or is > 5% of the measured concentration and/or decision level for associated samples. | General Chemistry |               |
| <         | Sample is below the EPA guidance level for Reactive Releasable Cyanide and/or Reactive Releasable Sulfide   | General Chemistry |               |
| UX        | Gamma Spectroscopy—Uncertain identification   | Radiological      |               |



List of current GEL Certifications as of 29 March 2018

| State                    | Certification                |
|--------------------------|------------------------------|
| Alaska                   | 17–018                       |
| Arkansas                 | 88-0651                      |
| CLIA                     | 42D0904046                   |
| California               | 2940                         |
| Colorado                 | SC00012                      |
| Connecticut              | PH-0169                      |
| Delaware                 | SC00012                      |
| DoD ELAP/ ISO17025 A2LA  | 2567.01                      |
| Florida NELAP            | E87156                       |
| Foreign Soils Permit     | P330-15-00283, P330-15-00253 |
| Georgia                  | SC00012                      |
| Georgia SDWA             | 967                          |
| Hawaii                   | SC00012                      |
| Idaho Chemistry          | SC00012                      |
| Idaho Radiochemistry     | SC00012                      |
| Illinois NELAP           | 200029                       |
| Indiana                  | C-SC-01                      |
| Kansas NELAP             | E-10332                      |
| Kentucky SDWA            | 90129                        |
| Kentucky Wastewater      | 90129                        |
| Louisiana NELAP          | 03046 (AI33904)              |
| Louisiana SDWA           | LA180011                     |
| Maryland                 | 270                          |
| Massachusetts            | M-SC012                      |
| Michigan                 | 9976                         |
| Mississippi              | SC00012                      |
| Nebraska                 | NE-OS-26-13                  |
| Nevada                   | SC000122018-1                |
| New Hampshire NELAP      | 205415                       |
| New Jersey NELAP         | SC002                        |
| New Mexico               | SC00012                      |
| New York NELAP           | 11501                        |
| North Carolina           | 233                          |
| North Carolina SDWA      | 45709                        |
| North Dakota             | R-158                        |
| Oklahoma                 | 9904                         |
| Pennsylvania NELAP       | 68-00485                     |
| Puerto Rico              | SC00012                      |
| S. Carolina Radiochem    | 10120002                     |
| South Carolina Chemistry | 10120001                     |
| Tennessee                | TN 02934                     |
| Texas NELAP              | T104704235-18-13             |
| Utah NELAP               | SC000122018-26               |
| Vermont                  | VT87156                      |
| Virginia NELAP           | 460202                       |
| Washington               | C780                         |
| West Virginia            | 997404                       |





#### Metals

# Technical Case Narrative CH2MHill Plateau Remediation Company (CPRC) SDG #: GEL445441 Work Order #: 445441

**Product: Determination of Metals by ICP Analytical Method:** SW846 3005A/6010D **Analytical Procedure:** GL-MA-E-013 REV# 30

**Analytical Batch:** 1745497

Product: Determination of Metals by ICP-MS Analytical Method: SW846 3005A/6020B Analytical Procedure: GL-MA-E-014 REV# 32 Analytical Batches: 1745491 and 1748724

**Preparation Method:** SW846 3005A

**Preparation Procedure:** GL-MA-E-006 REV# 14 **Preparation Batches:** 1745490, 1745496 and 1748719

The following samples were analyzed using the above methods and analytical procedure(s).

| <b>GEL Sample ID#</b> | Client Sample Identification                     |
|-----------------------|--|
| 445441002             | B3H3P0   |
| 445441003             | B3H3T0   |
| 445441005             | B3H3J9   |
| 445441006             | B3H3L8   |
| 1203986126            | Method Blank (MB)ICP                             |
| 1203986127            | Laboratory Control Sample (LCS)                  |
| 1203986130            | 445432003(NonSDGL) Serial Dilution (SD)          |
| 1203986128            | 445432003(NonSDGS) Matrix Spike (MS)             |
| 1203986129            | 445432003(NonSDGSD) Matrix Spike Duplicate (MSD) |
| 1203986116            | Method Blank (MB)ICP-MS                          |
| 1203993119            | Method Blank (MB)ICP-MS                          |
| 1203986117            | Laboratory Control Sample (LCS)                  |
| 1203993120            | Laboratory Control Sample (LCS)                  |
| 1203986120            | 445432003(NonSDGL) Serial Dilution (SD)          |
| 1203993123            | 445432003(NonSDGL) Serial Dilution (SD)          |
| 1203986118            | 445432003(NonSDGS) Matrix Spike (MS)             |
| 1203993121            | 445432003(NonSDGS) Matrix Spike (MS)             |
| 1203986119            | 445432003(NonSDGSD) Matrix Spike Duplicate (MSD) |
| 1203993122            | 445432003(NonSDGSD) Matrix Spike Duplicate (MSD) |
| 1203993699            | 445432003(NonSDGPS) Post Spike (PS)              |

The samples in this SDG were analyzed on an "as received" basis.

#### **Data Summary:**

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

#### **Calibration Information**

#### **ICSA/ICSAB Statement**

For the ICP-MS analysis, the ICSA solution contains analyte concentrations which are verified trace impurities indigenous to the purchased standard.

#### **Quality Control (QC) Information**

#### Method Blank (MB) Statement

The method blanks (MB) analyzed with this SDG met the acceptance criteria. However, where there were positive hits in the method blank, the results were evaluated and appropriately flagged on the data.

| Sample          | Analyte    | Value                      |
|-----------------|------------|----------------------------|
| 1203986116 (MB) | Molybdenum | 0.204 between (0.2 - 0.25) |
|                 | Tin        | 1.36 between (1 - 2.5)     |
| 1203986126 (MB) | Potassium  | 54.4 between (50 - 75)     |

#### Matrix Spike (MS/MSD) Recovery Statement

The percent recoveries (%R) obtained from the MS/MSD analyses are evaluated when the sample concentration is less than four times (4X) the spike concentration added. The MS/MSD (See Below) did not meet the recommended quality control acceptance criteria for percent recoveries for the following applicable analyte. The post spike recovery was within the required control limits. This verifies the absence of a matrix interference in the post-spike digested sample. The recovery may be attributed to possible sample matrix interference and/or non-homogeneity.

| Sample                           | Analyte | Value          |
|----------------------------------|---------|----------------|
| 1203993121 (Non SDG 445432003MS) | Zinc    | 74* (75%-125%) |

#### **Certification Statement**

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

#### GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Qualifier Definition Report for

CPRC001 CH2MHill Plateau Remediation Company Client SDG: GEL445441 GEL Work Order: 445441

#### The Qualifiers in this report are defined as follows:

- \* Duplicate analysis not within control limits
- B The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate).
- C Target analyte was detected in the sample and the associated blank. The associated blank concentration is >= EQL or is > 5% of the measured concentration and/or decision level for associated samples.
- D Results are reported from a diluted aliquot of sample.
- N Spike Sample recovery is outside control limits.
- U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.

#### Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: Name: Nik-Cole Elmore

Date: 04 APR 2018 Title: Data Validator



# $\begin{array}{c} \text{METALS} \\ -1- \\ \text{INORGANICS ANALYSIS DATA PACKAGE} \end{array}$

SDG No: GEL445441 CONTRACT: CPRC0W18002 METHOD TYPE: SW846

SAMPLE ID:445441002 BASIS: As Received DATE COLLECTED 06-MAR-18

CLIENT ID: B3H3P0 LEVEL: Low DATE RECEIVED 08-MAR-18

MATRIX: WATER %SOLIDS: 0

| CAS       | Analyte    | Result | Units | Qual | MDL   | PQL | CRDL | DF | M* | Analyst | Run<br>Date    | Analytical<br>Run | Analytical<br>Batch |
|-----------|------------|--------|-------|------|-------|-----|------|----|----|---------|----------------|-------------------|---------------------|
| 7429-90-5 | Aluminum   | 19.3   | ug/L  | U    | 19.3  | 50  | 50   | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-36-0 | Antimony   | 1      | ug/L  | U    | 1     | 3   | 3    | 1  | MS | BAJ     | 03/19/18 21:49 | 180319-3          | 1745491             |
| 7440-38-2 | Arsenic    | 3.18   | ug/L  | В    | 2     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-39-3 | Barium     | 78     | ug/L  |      | 0.67  | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-41-7 | Beryllium  | 0.20   | ug/L  | U    | 0.2   | 0.5 | 0.5  | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-42-8 | Boron      | 15     | ug/L  | U    | 15    | 50  | 50   | 1  | P  | HSC     | 03/15/18 12:45 | 031518-1          | 1745497             |
| 7440-43-9 | Cadmium    | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-70-2 | Calcium    | 74700  | ug/L  |      | 50    | 200 | 200  | 1  | P  | HSC     | 03/15/18 12:45 | 031518-1          | 1745497             |
| 7440-47-3 | Chromium   | 40.3   | ug/L  |      | 3     | 10  | 10   | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-48-4 | Cobalt     | 0.676  | ug/L  | В    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-50-8 | Copper     | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7439-89-6 | Iron       | 102    | ug/L  |      | 30    | 100 | 100  | 1  | P  | HSC     | 03/15/18 12:45 | 031518-1          | 1745497             |
| 7439-92-1 | Lead       | 0.50   | ug/L  | U    | 0.5   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7439–95–4 | Magnesium  | 24800  | ug/L  |      | 110   | 300 | 300  | 1  | P  | HSC     | 03/15/18 12:45 | 031518-1          | 1745497             |
| 7439-96-5 | Manganese  | 1      | ug/L  | U    | 1     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7439–98–7 | Molybdenum | 4.33   | ug/L  |      | 0.2   | 0.5 | 0.5  | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-02-0 | Nickel     | 0.848  | ug/L  | В    | 0.6   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-09-7 | Potassium  | 5560   | ug/L  |      | 50    | 150 | 150  | 1  | P  | HSC     | 03/15/18 12:45 | 031518-1          | 1745497             |
| 7782-49-2 | Selenium   | 3.72   | ug/L  | В    | 2     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-22-4 | Silver     | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-23-5 | Sodium     | 39400  | ug/L  |      | 100   | 300 | 300  | 1  | P  | HSC     | 03/15/18 12:45 | 031518-1          | 1745497             |
| 7440-24-6 | Strontium  | 344    | ug/L  |      | 2     | 10  | 10   | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-28-0 | Thallium   | 0.60   | ug/L  | U    | 0.6   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-29-1 | Thorium    | 0.70   | ug/L  | U    | 0.7   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-31-5 | Tin        | 1      | ug/L  | U    | 1     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-61-1 | Uranium    | 2.06   | ug/L  |      | 0.067 | 0.2 | 0.2  | 1  | MS | BAJ     | 03/19/18 18:03 | 180319-2          | 1745491             |
| 7440-62-2 | Vanadium   | 21.7   | ug/L  |      | 1     | 5   | 5    | 1  | P  | HSC     | 03/15/18 12:45 | 031518-1          | 1745497             |
| 7440-66-6 | Zinc       | 3.3    | ug/L  | U    | 3.3   | 10  | 10   | 1  | MS | SKJ     | 03/21/18 13:38 | 180321-4          | 1748724             |

#### **Prep Information:**

| Analytical<br>Batch | Prep<br>Batch | Prep<br>Method | Initial wt./vol. | Units | Final wt./vol. | Units | Date     | Analyst |
|---------------------|---------------|----------------|------------------|-------|----------------|-------|----------|---------|
| 1745491             | 1745490       | SW846 3005A    | 50               | mL    | 50             | mL    | 03/08/18 | JXM8    |
| 1745497             | 1745496       | SW846 3005A    | 50               | mL    | 50             | mL    | 03/08/18 | JXM8    |
| 1748724             | 1748719       | SW846 3005A    | 25               | mL    | 25             | mL    | 03/20/18 | JXM8    |

#### **METALS**

-1-

#### INORGANICS ANALYSIS DATA PACKAGE

#### \*Analytical Methods:

P SW846 3005A/6010D MS SW846 3005A/6020B

# METALS -1INORGANICS ANALYSIS DATA PACKAGE

SDG No: GEL445441 CONTRACT: CPRC0W18002 METHOD TYPE: SW846

SAMPLE ID:445441003 BASIS: As Received DATE COLLECTED 07-MAR-18

CLIENT ID: B3H3T0 LEVEL: Low DATE RECEIVED 08-MAR-18

MATRIX: WATER %SOLIDS: 0

| CAS       | Analyte    | Result | Units | Qual | MDL   | PQL | CRDL | DF | M* | Analyst | Run<br>Date    | Analytical<br>Run | Analytical<br>Batch |
|-----------|------------|--------|-------|------|-------|-----|------|----|----|---------|----------------|-------------------|---------------------|
| 7429-90-5 | Aluminum   | 207    | ug/L  |      | 19.3  | 50  | 50   | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-36-0 | Antimony   | 1      | ug/L  | U    | 1     | 3   | 3    | 1  | MS | BAJ     | 03/19/18 21:52 | 180319-3          | 1745491             |
| 7440-38-2 | Arsenic    | 2.48   | ug/L  | В    | 2     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-39-3 | Barium     | 138    | ug/L  |      | 0.67  | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-41-7 | Beryllium  | 0.20   | ug/L  | U    | 0.2   | 0.5 | 0.5  | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-42-8 | Boron      | 15     | ug/L  | U    | 15    | 50  | 50   | 1  | P  | HSC     | 03/15/18 12:48 | 031518-1          | 1745497             |
| 7440-43-9 | Cadmium    | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-70-2 | Calcium    | 142000 | ug/L  |      | 50    | 200 | 200  | 1  | P  | HSC     | 03/15/18 12:48 | 031518-1          | 1745497             |
| 7440-47-3 | Chromium   | 188    | ug/L  |      | 3     | 10  | 10   | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-48-4 | Cobalt     | 0.606  | ug/L  | В    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-50-8 | Copper     | 1.63   | ug/L  |      | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7439-89-6 | Iron       | 1420   | ug/L  |      | 30    | 100 | 100  | 1  | P  | HSC     | 03/15/18 12:48 | 031518-1          | 1745497             |
| 7439-92-1 | Lead       | 0.50   | ug/L  | U    | 0.5   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319–2          | 1745491             |
| 7439–95–4 | Magnesium  | 47300  | ug/L  |      | 110   | 300 | 300  | 1  | P  | HSC     | 03/15/18 12:48 | 031518-1          | 1745497             |
| 7439–96–5 | Manganese  | 10.6   | ug/L  |      | 1     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7439–98–7 | Molybdenum | 3.4    | ug/L  | С    | 0.2   | 0.5 | 0.5  | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-02-0 | Nickel     | 22.6   | ug/L  |      | 0.6   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-09-7 | Potassium  | 7830   | ug/L  |      | 50    | 150 | 150  | 1  | P  | HSC     | 03/15/18 12:48 | 031518-1          | 1745497             |
| 7782-49-2 | Selenium   | 3.91   | ug/L  | В    | 2     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-22-4 | Silver     | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-23-5 | Sodium     | 38300  | ug/L  |      | 100   | 300 | 300  | 1  | P  | HSC     | 03/15/18 12:48 | 031518-1          | 1745497             |
| 7440-24-6 | Strontium  | 587    | ug/L  |      | 2     | 10  | 10   | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-28-0 | Thallium   | 0.60   | ug/L  | U    | 0.6   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-29-1 | Thorium    | 0.70   | ug/L  | U    | 0.7   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-31-5 | Tin        | 1      | ug/L  | U    | 1     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-61-1 | Uranium    | 2.27   | ug/L  |      | 0.067 | 0.2 | 0.2  | 1  | MS | BAJ     | 03/19/18 18:06 | 180319-2          | 1745491             |
| 7440-62-2 | Vanadium   | 18.9   | ug/L  |      | 1     | 5   | 5    | 1  | P  | HSC     | 03/15/18 12:48 | 031518-1          | 1745497             |
| 7440-66-6 | Zinc       | 43.7   | ug/L  |      | 3.3   | 10  | 10   | 1  | MS | SKJ     | 03/21/18 13:43 | 180321-4          | 1748724             |

#### **Prep Information:**

| Analytical<br>Batch | Prep<br>Batch | Prep<br>Method | Initial wt./vol. | Units | Final wt./vol. | Units | Date     | Analyst |
|---------------------|---------------|----------------|------------------|-------|----------------|-------|----------|---------|
| 1745491             | 1745490       | SW846 3005A    | 50               | mL    | 50             | mL    | 03/08/18 | JXM8    |
| 1745497             | 1745496       | SW846 3005A    | 50               | mL    | 50             | mL    | 03/08/18 | JXM8    |
| 1748724             | 1748719       | SW846 3005A    | 25               | mL    | 25             | mL    | 03/20/18 | JXM8    |

#### **METALS**

-1-

#### INORGANICS ANALYSIS DATA PACKAGE

\*Analytical Methods:

P SW846 3005A/6010D MS SW846 3005A/6020B

# METALS -1INORGANICS ANALYSIS DATA PACKAGE

SDG No: GEL445441 CONTRACT: CPRC0W18002 METHOD TYPE: SW846

SAMPLE ID:445441005 BASIS: As Received DATE COLLECTED 06-MAR-18

CLIENT ID: B3H3J9 LEVEL: Low DATE RECEIVED 08-MAR-18

MATRIX: WATER %SOLIDS: 0

| CAS       | Analyte    | Result | Units | Qual | MDL   | PQL | CRDL | DF | M* | Analyst | Run<br>Date    | Analytical<br>Run | Analytical<br>Batch |
|-----------|------------|--------|-------|------|-------|-----|------|----|----|---------|----------------|-------------------|---------------------|
| 7429-90-5 | Aluminum   | 490    | ug/L  |      | 19.3  | 50  | 50   | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-36-0 | Antimony   | 1      | ug/L  | U    | 1     | 3   | 3    | 1  | MS | BAJ     | 03/19/18 21:56 | 180319-3          | 1745491             |
| 7440-38-2 | Arsenic    | 3.16   | ug/L  | В    | 2     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-39-3 | Barium     | 97.6   | ug/L  |      | 0.67  | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-41-7 | Beryllium  | 0.20   | ug/L  | U    | 0.2   | 0.5 | 0.5  | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-42-8 | Boron      | 15     | ug/L  | U    | 15    | 50  | 50   | 1  | P  | HSC     | 03/15/18 12:50 | 031518-1          | 1745497             |
| 7440-43-9 | Cadmium    | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-70-2 | Calcium    | 92300  | ug/L  |      | 50    | 200 | 200  | 1  | P  | HSC     | 03/15/18 12:50 | 031518-1          | 1745497             |
| 7440-47-3 | Chromium   | 30.5   | ug/L  |      | 3     | 10  | 10   | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-48-4 | Cobalt     | 1.4    | ug/L  |      | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-50-8 | Copper     | 1.98   | ug/L  |      | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7439-89-6 | Iron       | 1620   | ug/L  |      | 30    | 100 | 100  | 1  | P  | HSC     | 03/15/18 12:50 | 031518-1          | 1745497             |
| 7439-92-1 | Lead       | 0.596  | ug/L  | В    | 0.5   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319–2          | 1745491             |
| 7439–95–4 | Magnesium  | 33000  | ug/L  |      | 110   | 300 | 300  | 1  | P  | HSC     | 03/15/18 12:50 | 031518-1          | 1745497             |
| 7439-96-5 | Manganese  | 17     | ug/L  |      | 1     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7439–98–7 | Molybdenum | 2.6    | ug/L  | С    | 0.2   | 0.5 | 0.5  | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-02-0 | Nickel     | 3.74   | ug/L  |      | 0.6   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-09-7 | Potassium  | 6270   | ug/L  |      | 50    | 150 | 150  | 1  | P  | HSC     | 03/15/18 12:50 | 031518-1          | 1745497             |
| 7782-49-2 | Selenium   | 8.14   | ug/L  |      | 2     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-22-4 | Silver     | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-23-5 | Sodium     | 32400  | ug/L  |      | 100   | 300 | 300  | 1  | P  | HSC     | 03/15/18 12:50 | 031518-1          | 1745497             |
| 7440-24-6 | Strontium  | 420    | ug/L  |      | 2     | 10  | 10   | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-28-0 | Thallium   | 0.60   | ug/L  | U    | 0.6   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-29-1 | Thorium    | 0.70   | ug/L  | U    | 0.7   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-31-5 | Tin        | 1      | ug/L  | U    | 1     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-61-1 | Uranium    | 1.86   | ug/L  |      | 0.067 | 0.2 | 0.2  | 1  | MS | BAJ     | 03/19/18 18:09 | 180319-2          | 1745491             |
| 7440-62-2 | Vanadium   | 18.9   | ug/L  |      | 1     | 5   | 5    | 1  | P  | HSC     | 03/15/18 12:50 | 031518-1          | 1745497             |
| 7440-66-6 | Zinc       | 61.3   | ug/L  |      | 3.3   | 10  | 10   | 1  | MS | SKJ     | 03/21/18 13:44 | 180321-4          | 1748724             |

#### **Prep Information:**

| Analytical<br>Batch | Prep<br>Batch | Prep<br>Method | Initial wt./vol. | Units | Final wt./vol. | Units | Date     | Analyst |
|---------------------|---------------|----------------|------------------|-------|----------------|-------|----------|---------|
| 1745491             | 1745490       | SW846 3005A    | 50               | mL    | 50             | mL    | 03/08/18 | JXM8    |
| 1745497             | 1745496       | SW846 3005A    | 50               | mL    | 50             | mL    | 03/08/18 | JXM8    |
| 1748724             | 1748719       | SW846 3005A    | 25               | mL    | 25             | mL    | 03/20/18 | JXM8    |

#### **METALS**

-1-

#### INORGANICS ANALYSIS DATA PACKAGE

\*Analytical Methods:

P SW846 3005A/6010D MS SW846 3005A/6020B

# METALS -1INORGANICS ANALYSIS DATA PACKAGE

SDG No: GEL445441 CONTRACT: CPRC0W18002 METHOD TYPE: SW846

SAMPLE ID:445441006 BASIS: As Received DATE COLLECTED 07-MAR-18

CLIENT ID: B3H3L8 LEVEL: Low DATE RECEIVED 08-MAR-18

MATRIX: WATER %SOLIDS: 0

| CAS       | Analyte    | Result | Units | Qual | MDL   | PQL | CRDL | DF | M* | Analyst | Run<br>Date    | Analytical<br>Run | Analytical<br>Batch |
|-----------|------------|--------|-------|------|-------|-----|------|----|----|---------|----------------|-------------------|---------------------|
| 7429-90-5 | Aluminum   | 19.3   | ug/L  | U    | 19.3  | 50  | 50   | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-36-0 | Antimony   | 1      | ug/L  | U    | 1     | 3   | 3    | 1  | MS | BAJ     | 03/19/18 21:59 | 180319-3          | 1745491             |
| 7440-38-2 | Arsenic    | 3.1    | ug/L  | В    | 2     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-39-3 | Barium     | 46.5   | ug/L  |      | 0.67  | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-41-7 | Beryllium  | 0.20   | ug/L  | U    | 0.2   | 0.5 | 0.5  | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-42-8 | Boron      | 15     | ug/L  | U    | 15    | 50  | 50   | 1  | P  | HSC     | 03/15/18 12:52 | 031518-1          | 1745497             |
| 7440-43-9 | Cadmium    | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-70-2 | Calcium    | 55500  | ug/L  |      | 50    | 200 | 200  | 1  | P  | HSC     | 03/15/18 12:52 | 031518-1          | 1745497             |
| 7440-47-3 | Chromium   | 7.86   | ug/L  | В    | 3     | 10  | 10   | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-48-4 | Cobalt     | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-50-8 | Copper     | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7439-89-6 | Iron       | 99.4   | ug/L  | В    | 30    | 100 | 100  | 1  | P  | HSC     | 03/15/18 12:52 | 031518-1          | 1745497             |
| 7439–92–1 | Lead       | 0.50   | ug/L  | U    | 0.5   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7439–95–4 | Magnesium  | 18300  | ug/L  |      | 110   | 300 | 300  | 1  | P  | HSC     | 03/15/18 12:52 | 031518-1          | 1745497             |
| 7439–96–5 | Manganese  | 1      | ug/L  | U    | 1     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7439–98–7 | Molybdenum | 4.06   | ug/L  | С    | 0.2   | 0.5 | 0.5  | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-02-0 | Nickel     | 0.670  | ug/L  | В    | 0.6   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-09-7 | Potassium  | 4540   | ug/L  |      | 50    | 150 | 150  | 1  | P  | HSC     | 03/15/18 12:52 | 031518-1          | 1745497             |
| 7782-49-2 | Selenium   | 2.65   | ug/L  | В    | 2     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-22-4 | Silver     | 0.30   | ug/L  | U    | 0.3   | 1   | 1    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-23-5 | Sodium     | 13500  | ug/L  |      | 100   | 300 | 300  | 1  | P  | HSC     | 03/15/18 12:52 | 031518-1          | 1745497             |
| 7440-24-6 | Strontium  | 225    | ug/L  |      | 2     | 10  | 10   | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-28-0 | Thallium   | 0.60   | ug/L  | U    | 0.6   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-29-1 | Thorium    | 0.70   | ug/L  | U    | 0.7   | 2   | 2    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-31-5 | Tin        | 1      | ug/L  | U    | 1     | 5   | 5    | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-61-1 | Uranium    | 1.36   | ug/L  |      | 0.067 | 0.2 | 0.2  | 1  | MS | BAJ     | 03/19/18 18:12 | 180319-2          | 1745491             |
| 7440-62-2 | Vanadium   | 23.8   | ug/L  |      | 1     | 5   | 5    | 1  | P  | HSC     | 03/15/18 12:52 | 031518-1          | 1745497             |
| 7440-66-6 | Zinc       | 5.98   | ug/L  | В    | 3.3   | 10  | 10   | 1  | MS | SKJ     | 03/21/18 13:46 | 180321-4          | 1748724             |

#### **Prep Information:**

| Analytical<br>Batch | Prep<br>Batch | Prep<br>Method | Initial wt./vol. | Units | Final wt./vol. | Units | Date     | Analyst |
|---------------------|---------------|----------------|------------------|-------|----------------|-------|----------|---------|
| 1745491             | 1745490       | SW846 3005A    | 50               | mL    | 50             | mL    | 03/08/18 | JXM8    |
| 1745497             | 1745496       | SW846 3005A    | 50               | mL    | 50             | mL    | 03/08/18 | JXM8    |
| 1748724             | 1748719       | SW846 3005A    | 25               | mL    | 25             | mL    | 03/20/18 | JXM8    |

#### **METALS**

-1-

#### INORGANICS ANALYSIS DATA PACKAGE

\*Analytical Methods:

P SW846 3005A/6010D MS SW846 3005A/6020B



#### **GEL LABORATORIES LLC**

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

#### **QC Summary**

onv

Report Date: April 4, 2018

Page 1 of 11

CH2MHill Plateau Remediation Company

MSIN R3-50 CHPRC PO Box 1600

 ${\bf Richland, Washington}$ 

Contact:
Workorder:

Mr. Scot Fitzgerald

445441

| Parmname                                | NOM  | Sample Qual | QC   | Units R | RPD/D% REC% | Range      | Anlst | Date    | Time    |
|---|------|-------------|------|---------|-------------|------------|-------|---------|---------|
| Metals Analysis - ICPMS Batch 1745491 - |      |             |      |         |             |            |       |         |         |
| QC1203986117 LCS<br>Aluminum            | 2000 |             | 2060 | ug/L    | 103         | (80%-120%) | BAJ   | 03/19/1 | 8 17:26 |
| Antimony                                | 50.0 |             | 48.9 | ug/L    | 97.7        | (80%-120%) |       | 03/19/1 | 8 21:13 |
| Arsenic                                 | 50.0 |             | 51.3 | ug/L    | 103         | (80%-120%) |       | 03/19/1 | 8 17:26 |
| Barium                                  | 50.0 |             | 48.6 | ug/L    | 97.2        | (80%-120%) |       |         |         |
| Beryllium                               | 50.0 |             | 56.4 | ug/L    | 113         | (80%-120%) |       |         |         |
| Cadmium                                 | 50.0 |             | 50.3 | ug/L    | 101         | (80%-120%) |       |         |         |
| Chromium                                | 50.0 |             | 50.0 | ug/L    | 100         | (80%-120%) |       |         |         |
| Cobalt                                  | 50.0 |             | 49.4 | ug/L    | 98.8        | (80%-120%) |       |         |         |
| Copper                                  | 50.0 |             | 51.1 | ug/L    | 102         | (80%-120%) |       |         |         |
| Lead                                    | 50.0 |             | 49.2 | ug/L    | 98.3        | (80%-120%) |       |         |         |
| Manganese                               | 50.0 |             | 49.0 | ug/L    | 98          | (80%-120%) |       |         |         |
| Molybdenum                              | 50.0 |             | 51.6 | ug/L    | 103         | (80%-120%) |       |         |         |
| Nickel                                  | 50.0 |             | 51.7 | ug/L    | 103         | (80%-120%) |       |         |         |

**GEL LABORATORIES LLC** 2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

#### **QC Summary**

| XX 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |      | <u><b>4</b> 3 5</u> |           | <u>.,,                                    </u> |             |            |       |          |         |
|--|------|---------------------|-----------|--|-------------|------------|-------|----------|---------|
| Workorder: 445441  Parmname            | NOM  | Sample Qual         | QC        | Units RPD/                                     | D% REC%     | Range      | Anlst | Page 2   |         |
| Metals Analysis - ICPMS Batch 1745491  | NOW  | Sample Quai         | <u>QC</u> | Clifts Ki D/                                   | D 70 KEC 70 | Kange      | Amst  | Date     | i iiiie |
| Selenium                               | 50.0 |                     | 49.7      | ug/L   | 99.4        | (80%-120%) | BAJ   | 03/19/18 | 17:26   |
| Silver                                 | 50.0 |                     | 51.3      | ug/L   | 103         | (80%-120%) |       |          |         |
| Strontium                              | 50.0 |                     | 50.2      | ug/L   | 100         | (80%-120%) |       |          |         |
| Thallium                               | 50.0 |                     | 44.1      | ug/L   | 88.3        | (80%-120%) |       |          |         |
| Thorium                                | 50.0 |                     | 45.3      | ug/L   | 90.6        | (80%-120%) |       |          |         |
| Tin                                    | 50.0 |                     | 50.9      | ug/L   | 102         | (80%-120%) |       |          |         |
| Uranium                                | 50.0 |                     | 46.5      | ug/L   | 93.1        | (80%-120%) |       |          |         |
| QC1203986116 MB<br>Aluminum            |      | U                   | 19.3      | ug/L   |             |            |       | 03/19/18 | 17:23   |
| Antimony                               |      | U                   | 1.00      | ug/L   |             |            |       | 03/19/18 | 21:10   |
| Arsenic                                |      | U                   | 2.00      | ug/L   |             |            |       | 03/19/18 | 17:23   |
| Barium                                 |      | U                   | 0.670     | ug/L   |             |            |       |          |         |
| Beryllium                              |      | U                   | 0.200     | ug/L   |             |            |       |          |         |
| Cadmium                                |      | U                   | 0.300     | ug/L   |             |            |       |          |         |
| Chromium                               |      | U                   | 3.00      | ug/L   |             |            |       |          |         |
| Cobalt                                 |      | U                   | 0.300     | ug/L   |             |            |       |          |         |
|  |      |                     |           |  |             |            |       |          |         |

#### **GEL LABORATORIES LLC**

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

#### **QC Summary**

Workorder: 445441 Page 3 of 11 NOM QC REC% Range **Parmname** Sample Qual Units RPD/D% Anlst Date Time Metals Analysis - ICPMS 1745491 Batch Copper U 0.300 ug/L BAJ 03/19/18 17:23 U 0.500 Lead ug/L Manganese U 1.00 ug/L В Molybdenum 0.204ug/L U Nickel 0.600 ug/L U Selenium 2.00 ug/L Silver U 0.300 ug/L U 2.00 Strontium ug/L U Thallium 0.600 ug/L Thorium U 0.700 ug/L В Tin 1.36 ug/L Uranium U 0.067 ug/L QC1203986118 445432003 MS Aluminum 2000 U 19.3 1990 ug/L 99.3 (75%-125%) 03/19/18 17:33 50.0 U 1.00 48.9 97.2 03/19/18 21:20 Antimony (75%-125%) ug/L Arsenic 50.0 U 2.00 52.5 ug/L 102 (75%-125%) 03/19/18 17:33

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

## **QC Summary**

Workorder: 445441 Page 4 of 11 NOM Sample Qual QC RPD/D% REC% **Parmname** Units Range Anlst Date Time Metals Analysis - ICPMS 1745491 Batch Barium 50.0 U 0.670 49.1 ug/L 98.1 (75%-125%) BAJ 03/19/18 17:33 Beryllium 50.0 U 0.200 56.5 ug/L 113 (75%-125%) Cadmium 50.0 U 0.300 50.0 ug/L 100 (75%-125%) U 49.4 Chromium 50.0 3.00 ug/L 96.8 (75%-125%) Cobalt 50.0 U 0.300 51.1 ug/L 102 (75%-125%) 50.0 U 0.300 51.2 102 Copper ug/L (75%-125%) U 49.3 98.5 Lead 50.0 0.500 ug/L (75%-125%) 49.6 50.0 U 1.00 ug/L 98.9 Manganese (75%-125%) Molybdenum 50.0 U 0.200 51.1 102 (75%-125%) ug/L Nickel 50.0 U 0.600 52.1 103 ug/L (75%-125%) U 2.00 51.4 Selenium 50.0 ug/L 103 (75%-125%) Silver 50.0 U 0.300 52.3 ug/L 105 (75%-125%) U 49.1 Strontium 50.0 2.00 ug/L 98.1 (75%-125%) Thallium 50.0 U 0.600 45.9 ug/L 91.7 (75% - 125%)Thorium 50.0 U 0.700 46.1 91.8 (75%-125%) ug/L

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

## **QC Summary**

Workorder: 445441 Page 5 of 11 Sample Qual QC RPD/D% REC% **Parmname** NOM Units Range Anlst Date Time Metals Analysis - ICPMS 1745491 Batch Tin 50.0 U 1.00 50.1 ug/L 99.7 (75%-125%) BAJ 03/19/18 17:33 Uranium 50.0 U 0.067 47.5 ug/L 94.9 (75%-125%) QC1203986119 445432003 MSD 2000 U 19.3 2240 03/19/18 17:36 Aluminum ug/L 11.7 112 (0%-20%)Antimony 50.0 U 1.00 47.5 ug/L 2.9 94.4 (0%-20%)03/19/18 21:23 50.0 U 2.00 54.9 ug/L 4.39 107 (0%-20%)03/19/18 17:36 Arsenic U Barium 50.0 0.670 51.5 ug/L 4.82 103 (0%-20%)Beryllium 50.0 U 0.200 61.3 ug/L 8.07 123 (0%-20%) Cadmium 50.0 U 0.300 52.5 105 ug/L 4.89 (0%-20%)U 108 (0%-20%) Chromium 50.0 3.00 54.8 ug/L 10.4 50.0 U 0.300 54.3 ug/L 108 Cobalt 6.08 (0%-20%)50.0 U 0.300 56.4 9.57 113 Copper ug/L (0%-20%)50.0 U 52.3 105 Lead 0.500 ug/L 6.03 (0%-20%)50.0 U 1.00 55.0 ug/L 10.3 110 (0%-20%)Manganese 50.0 U 98 Molybdenum 0.200 49.2 3.77 (0%-20%) ug/L Nickel 50.0 U 0.600 57.0 ug/L 9 113 (0%-20%)

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

## **QC Summary**

Workorder: 445441 Page 6 of 11 Sample Qual QC **Parmname** NOM Units RPD/D% REC% Range Anlst Date Time Metals Analysis - ICPMS 1745491 Batch Selenium 50.0 U 2.00 55.1 ug/L 6.89 110 (0%-20%)BAJ 03/19/18 17:36 Silver 50.0 U 0.300 55.0 ug/L 5.07 110 (0%-20%)Strontium 50.0 U 2.00 53.0 ug/L 7.63 106 (0%-20%)Thallium 50.0 U 0.600 49.1 ug/L 6.83 98.1 (0%-20%)Thorium 50.0 U 0.700 49.6 ug/L 7.27 98.8 (0%-20%)Tin 50.0 U 1.00 47.1 ug/L6.02 93.8 (0%-20%)U Uranium 50.0 0.067 50.2 ug/L 5.6 100 (0%-20%)QC1203986120 445432003 SDILT U 96.5 03/19/18 17:43 Aluminum 4.16 DU ug/L N/A (0%-20%)U Antimony 0.258 DU 5.00 ug/L N/A (0%-20%)03/19/18 21:29 10.0 U 1.46 DU ug/L (0%-20%)03/19/18 17:43 Arsenic N/A Barium U 0.087 DU 3.35 ug/L N/A (0%-20%)U 1.00 Beryllium 0.009 DU ug/L N/A (0%-20%)Cadmium U 0.002 DU 1.50 ug/L N/A (0%-20%)U 15.0 Chromium 0.987 DU N/A(0%-20%) ug/L Cobalt U 0.021 DU 1.50 ug/L N/A (0%-20%)

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

## **QC Summary**

Workorder: 445441 Page 7 of 11 QC **Parmname** NOM Sample Qual Units RPD/D% REC% Range Anlst Date Time Metals Analysis - ICPMS 1745491 Batch Copper U 0.057 DU 1.50 ug/L N/A (0%-20%)BAJ 03/19/18 17:43 Lead U 0.015 DU 2.50 ug/L (0%-20%)N/A Manganese U 0.122 DU 5.00 ug/L N/A (0%-20%)U Molybdenum 0.169 DU 1.00 ug/L N/A (0%-20%)Nickel U 0.484 DU 3.00 ug/L N/A (0%-20%)Selenium U -0.019 DU 10.0 ug/L N/A (0%-20%)U Silver 0.003 DU 1.50 ug/L N/A (0%-20%)U 0.026 DU 10.0 Strontium ug/L N/A (0%-20%)Thallium U 0.044 DU 3.00 (0%-20%)ug/L N/A Thorium U 0.214 DU 3.50 ug/L N/A (0%-20%)U 0.213 DU 5.00 Tin ug/L (0%-20%)N/A Uranium U 0.025 DU 0.335 N/A (0%-20%)ug/L 1748724 Batch QC1203993120 LCS 50.0 SKJ 03/21/18 13:21 Zinc 56.6 ug/L 113 (80%-120%) QC1203993119 MB Zinc U 3.30 ug/L 03/21/18 13:20

**GEL LABORATORIES LLC** 2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

# **QC Summary**

|  |      |   | 9      | <u> </u> | ummar | <u>y</u> |        |      |            |       |         |         |
|--|------|---|--------|----------|-------|----------|--------|------|------------|-------|---------|---------|
| Workorder: 445441                        |      |   |        |          |       |          |        |      |            |       |         | 8 of 11 |
| Parmname                                 | NOM  |   | Sample | Qual     | QC    | Units    | RPD/D% | REC% | Range      | Anlst | Date    | Time    |
| Metals Analysis - ICPMS<br>Batch 1748724 |      |   |        |          |       |          |        |      |            |       |         |         |
| QC1203993121 445432003 MS<br>Zinc        | 50.0 | N | 15.4   | N        | 52.4  | ug/L     |        | 74*  | (75%-125%) | SKJ   | 03/21/1 | 8 13:24 |
| QC1203993122 445432003 MSD<br>Zinc       | 50.0 | N | 15.4   |          | 60.8  | ug/L     | 14.9   | 90.9 | (0%-20%)   | )     | 03/21/1 | 8 13:26 |
| QC1203993699 445432003 PS<br>Zinc        | 50.0 | N | 15.4   |          | 64.7  | ug/L     |        | 98.6 | (75%-125%) | )     | 03/21/1 | 8 13:27 |
| QC1203993123 445432003 SDILT<br>Zinc     |      | N | 15.4   | BD       | 4.56  | ug/L     | 48.1   |      | (0%-20%)   | ı     | 03/21/1 | 8 13:29 |
| Metals Analysis-ICP Batch 1745497        |      |   |        |          |       |          |        |      |            |       |         |         |
| QC1203986127 LCS<br>Boron                | 500  |   |        |          | 490   | ug/L     |        | 98   | (80%-120%) | HSC   | 03/15/1 | 8 12:19 |
| Calcium                                  | 5000 |   |        |          | 4900  | ug/L     |        | 98.1 | (80%-120%) | )     |         |         |
| Iron                                     | 5000 |   |        |          | 4770  | ug/L     |        | 95.4 | (80%-120%) | )     |         |         |
| Magnesium                                | 5000 |   |        |          | 4820  | ug/L     |        | 96.4 | (80%-120%) | )     |         |         |
| Potassium                                | 5000 |   |        |          | 4680  | ug/L     |        | 93.6 | (80%-120%) | )     |         |         |
| Sodium                                   | 5000 |   |        |          | 4830  | ug/L     |        | 96.6 | (80%-120%) | )     |         |         |
| Vanadium                                 | 500  |   |        |          | 487   | ug/L     |        | 97.3 | (80%-120%) | )     |         |         |
| QC1203986126 MB<br>Boron                 |      |   |        | U        | 15.0  | ug/L     |        |      |            |       | 03/15/1 | 8 12:16 |
| Calcium                                  |      |   |        | U        | 50.0  | ug/L     |        |      |            |       |         |         |

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

## **QC Summary**

Workorder: 445441 Page 9 of 11 NOM QC REC% **Parmname** Sample Qual Units RPD/D% Range Anlst Date Time Metals Analysis-ICP 1745497 Batch Iron U 30.0 ug/L HSC 03/15/18 12:16 U 110 Magnesium ug/L ug/L Potassium В 54.4 U 100 Sodium ug/L U 1.00 Vanadium ug/L QC1203986128 445432003 MS U 03/15/18 12:24 Boron 500 15.0 493 ug/L 98.4 (75% - 125%)50.0 4990 Calcium 5000 U ug/L 99.6 (75%-125%) 5000 U 30.0 4940 Iron ug/L 98.6 (75%-125%) U Magnesium 5000 110 4990 ug/L 99.8 (75%-125%) 50.2 4740 Potassium 5000 BC93.9 ug/L (75%-125%) Sodium 5000 U 100 4930 97.8 ug/L (75%-125%) 500 U 1.00 Vanadium 487 ug/L 97.4 (75%-125%) QC1203986129 445432003 MSD U 15.0 03/15/18 12:26 500 496 0.593 99 Boron ug/L (0%-20%)Calcium 5000 U 50.0 4950 ug/L 0.883 98.7 (0%-20%)5000 U 30.0 4890 97.5 Iron ug/L 1.04 (0%-20%)

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

## **QC Summary**

Workorder: 445441 Page 10 of 11 **Parmname** NOM Sample Qual  $\mathbf{QC}$ Units RPD/D% REC% Range Anlst Date Time Metals Analysis-ICP 1745497 Batch 5000 U 110 4960 ug/L 0.687 99.2 (0%-20%)HSC 03/15/18 12:26 Magnesium 5000 BC50.2 4720 ug/L 0.509 93.4 (0%-20%)Potassium Sodium 5000 U 100 4890 ug/L 0.782 97.1 (0%-20%)Vanadium 500 U 1.00 492 ug/L 0.942 98.3 (0%-20%)QC1203986130 445432003 SDILT Boron U 0.642 DU 75.0 N/A 03/15/18 12:28 ug/L (0%-20%)U ug/L Calcium 15.4 DU 250 N/A (0%-20%)Iron U 11.3 DU 150 ug/L N/A (0%-20%)U 550 Magnesium 0.0399 DU ug/L N/A (0%-20%)BC Potassium 50.2 DU 250 N/A ug/L (0%-20%)500 U 40.1 DU Sodium ug/L N/A (0%-20%)Vanadium U 0.113 DU 5.00 ug/L N/A (0%-20%)

#### Notes:

The Qualifiers in this report are defined as follows:

- \* Duplicate analysis not within control limits
- + Correlation coefficient for Method of Standard Additions (MSA) is < 0.995
- B The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate).
- C Target analyte was detected in the sample and the associated blank. The associated blank concentration is >= EQL or is > 5% of the measured concentration and/or decision level for associated samples.
- D Results are reported from a diluted aliquot of sample.
- E Reported value is estimated due to interferences. See comment in narrative.

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

## **QC Summary**

Page 11 of 11 Parmname **NOM** Sample Qual QC Units RPD/D% REC% Range Anlst Date Time M

Duplicate precision not met.

445441

Workorder:

- Spike Sample recovery is outside control limits. Ν
- S Reported value determined by the Method of Standard Additions (MSA)
- U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.
- W Post-digestion spike recovery for GFAA out of control limit. Sample absorbency < 50% of spike absorbency.
- X Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Y Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- $\mathbf{Z}$ Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more or %RPD not applicable.


For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

<sup>^</sup> The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

<sup>\*</sup> Indicates that a Quality Control parameter was not within specifications.





# General Chemistry Technical Case Narrative CH2MHill Plateau Remediation Company (CPRC) SDG #: GEL445441 Work Order #: 445441

**Product:** Cyanide, Free

**Analytical Method:** 9014\_CYANIDE

Analytical Procedure: GL-GC-E-073 REV# 8

**Analytical Batch:** 1745740

The following samples were analyzed using the above methods and analytical procedure(s).

| GEL Sample ID# | Client Sample Identification             |
|----------------|--|
| 445441001      | B3H3P3                                   |
| 445441002      | B3H3P0                                   |
| 445441004      | B3H3K2                                   |
| 445441005      | B3H3J9                                   |
| 1203986685     | Method Blank (MB)                        |
| 1203986686     | Laboratory Control Sample (LCS)          |
| 1203986687     | 445441001(B3H3P3) Sample Duplicate (DUP) |
| 1203988663     | 445458001(NonSDG) Sample Duplicate (DUP) |

The samples in this SDG were analyzed on an "as received" basis.

#### **Data Summary:**

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

#### **Miscellaneous Information**

#### **Additional Comments**

Total CN levels above the MDL for Free CN were detected in samples 445441001 (B3H3P3), 445441002 (B3H3P0), 445441004 (B3H3K2) and 445441005 (B3H3J9). Free CN was performed per SOP (GL-GC-E-073).

**Product:** Cyanide, Amenable to Chlorination

**Analytical Method:** 9012\_CYANIDE

Analytical Procedure: GL-GC-E-107 REV# 10 Analytical Batches: 1745739, 1745738 and 1745737

The following samples were analyzed using the above methods and analytical procedure(s).

| GEL Sample ID# | Client Sample Identification |
|----------------|------------------------------|
| 445441001      | ВЗНЗРЗ                       |
| 445441002      | B3H3P0                       |
| 445441004      | B3H3K2                       |
| 445441005      | В3Н3Ј9                       |
|                |                              |

#### **Data Summary:**

There are no exceptions, anomalies or deviations from the specified methods. All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable.

**Product:** Cyanide, Total

**Analytical Method:** 9012\_CYANIDE

Analytical Procedure: GL-GC-E-095 REV# 21 Analytical Batches: 1745736 and 1745735

The following samples were analyzed using the above methods and analytical procedure(s).

| GEL Sample ID# | Client Sample Identification             |
|----------------|--|
| 445441001      | B3H3P3                                   |
| 445441002      | B3H3P0                                   |
| 445441004      | B3H3K2                                   |
| 445441005      | B3H3J9                                   |
| 1203986676     | Method Blank (MB)                        |
| 1203986677     | Laboratory Control Sample (LCS)          |
| 1203986678     | 445441001(B3H3P3) Sample Duplicate (DUP) |
| 1203986680     | 445441001(B3H3P3) Matrix Spike (MS)      |
|                |  |

The samples in this SDG were analyzed on an "as received" basis.

#### **Data Summary:**

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

#### **Technical Information**

#### **Sample Dilutions**

The following samples 1203986678 (B3H3P3DUP), 1203986680 (B3H3P3MS), 445441001 (B3H3P3), 445441004 (B3H3K2) and 445441005 (B3H3J9) were diluted because target analyte concentrations exceeded the calibration range. Dilutions may be required for many reasons, including to minimize matrix interferences or to bring over range target analyte concentrations into the linear calibration range.

| A 1            | 445441 |     |     |  |  |  |  |
|----------------|--------|-----|-----|--|--|--|--|
| Analyte        | 001    | 004 | 005 |  |  |  |  |
| Cyanide, Total | 2X     | 5X  | 5X  |  |  |  |  |

**Product: Cyanide, Chlorinated Analytical Method:** 9012\_CYANIDE

**Analytical Procedure:** GL-GC-E-095 REV# 21 **Analytical Batches:** 1745738 and 1745737

The following samples were analyzed using the above methods and analytical procedure(s).

| GEL Sample ID# | Client Sample Identification             |
|----------------|--|
| 445441001      | B3H3P3                                   |
| 445441002      | B3H3P0                                   |
| 445441004      | B3H3K2                                   |
| 445441005      | B3H3J9                                   |
| 1203986682     | Method Blank (MB)                        |
| 1203986683     | Laboratory Control Sample (LCS)          |
| 1203986684     | 445441001(B3H3P3) Sample Duplicate (DUP) |

The samples in this SDG were analyzed on an "as received" basis.

#### **Data Summary:**

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

#### **Technical Information**

#### **Sample Dilutions**

The following samples 1203986684 (B3H3P3DUP), 445441001 (B3H3P3), 445441004 (B3H3K2) and 445441005 (B3H3J9) were diluted because target analyte concentrations exceeded the calibration range. Dilutions may be required for many reasons, including to minimize matrix interferences or to bring over range target analyte concentrations into the linear calibration range.

| A14-                 | 445441 |     |     |  |  |  |  |
|----------------------|--------|-----|-----|--|--|--|--|
| Analyte              | 001    | 004 | 005 |  |  |  |  |
| Cyanide, Chlorinated | 2X     | 5X  | 5X  |  |  |  |  |

**Product:** Alkalinity

Analytical Method: 2320\_ALKALINITY
Analytical Procedure: GL-GC-E-033 REV# 13

**Analytical Batch:** 1745547

The following samples were analyzed using the above methods and analytical procedure(s).

| GEL Sample ID# | Client Sample Identification             |
|----------------|--|
| 445441002      | B3H3P0                                   |
| 445441003      | B3H3T0                                   |
| 445441006      | B3H3L8                                   |
| 1203986246     | Laboratory Control Sample (LCS)          |
| 1203986248     | 445545001(B3H3R1) Sample Duplicate (DUP) |

The samples in this SDG were analyzed on an "as received" basis.

#### **Data Summary:**

There are no exceptions, anomalies or deviations from the specified methods. All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable.

#### **Certification Statement**

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

# Qualifier Definition Report for

CPRC001 CH2MHill Plateau Remediation Company Client SDG: GEL445441 GEL Work Order: 445441

#### The Qualifiers in this report are defined as follows:

- B The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate).
- D Results are reported from a diluted aliquot of sample.
- U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.

#### Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: Name: Aubrey Kingsbury

Date: 26 MAR 2018 Title: Analyst I



2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## **Certificate of Analysis**

Report Date: March 26, 2018

CH2MHill Plateau Remediation Company Company:

Address: MSIN R3-50 CHPRC

PO Box 1600

Richland, Washington 99352

Contact: Mr. Scot Fitzgerald Project: CHPRC SAF W18-002

Client Sample ID: B3H3P3

Sample ID: Matrix: WATER

Collect Date: 06-MAR-18 14:20

Receive Date: 08-MAR-18 Collector: Client

Project: CPRC0W18002 445441001 Client ID: CPRC001

| Parameter                    | Qualifier    | Result                  | DL   | RL      | Units    | PF I | DF . | Analyst Date  | Time | Batch   | Method |
|------------------------------|--------------|-------------------------|------|---------|----------|------|------|---------------|------|---------|--------|
| Flow Injection Analysis      | s            |                         |      |         |          |      |      |               |      |         |        |
| 9012_CYANIDE (TOT            | CAL): COMM   | ION "As Received"       |      |         |          |      |      |               |      |         |        |
| Cyanide, Total               | D            | 220                     | 3.34 | 10.0    | ug/L     | 1.00 | 2 .  | AXH3 03/09/18 | 0752 | 1745736 | 1      |
| 9014_CN (FREE): CO           | MMON "As l   | Received"               |      |         |          |      |      |               |      |         |        |
| Free Cyanide                 |              | 3.66                    | 1.00 | 2.00    | ug/L     |      | 1 .  | AXH3 03/15/18 | 1037 | 1745740 | 2      |
| 9012_CN (AMENABL             | E): COMMC    | N "See Parent Products" |      |         |          |      |      |               |      |         |        |
| Cyanide amenable to chlorina | ation B      | 6.00                    | 3.34 | 10.0    | ug/L     |      | 1 .  | AXH3 03/09/18 | 0854 | 1745739 | 3      |
| The following Prep Me        | thods were p | erformed:               |      |         |          |      |      |               |      |         |        |
| Method                       | Description  | n                       | A    | Analyst | Date     | Ti   | ime  | Prep Batch    |      |         |        |
| SW846 9010C Distillation     | SW846 9010   | C Prep                  | A    | XH3     | 03/09/18 | 06   | 517  | 1745735       |      |         |        |

SW846 9012B SW846 9012B Cyanide, Chlorinated Prep AXH3 03/09/18 0651 1745737

The following Analytical Methods were performed:

Description Method **Analyst Comments** 9012\_CYANIDE 2 9014\_CYANIDE 3 9012\_CYANIDE

#### **Notes:**

Column headers are defined as follows:

DF: Dilution Factor Lc/LC: Critical Level DL: Detection Limit PF: Prep Factor MDA: Minimum Detectable Activity RL: Reporting Limit

MDC: Minimum Detectable Concentration SQL: Sample Quantitation Limit

Project:

Client ID:

**Analyst Comments** 

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## **Certificate of Analysis**

Report Date: March 26, 2018

CPRC0W18002

CPRC001

Company: CH2MHill Plateau Remediation Company

Address: MSIN R3-50 CHPRC

PO Box 1600

Richland, Washington 99352

Contact: Mr. Scot Fitzgerald Project: CHPRC SAF W18-002

Client Sample ID: B3H3P0

Sample ID: 445441002 Matrix: WATER

Matrix: WATER

Collect Date: 06-MAR-18 14:20

Receive Date: 08-MAR-18 Collector: Client

| Parameter                    | Qualifier    | Result                      | DL   | RL      | Units    | PF   | DF   | Analyst Date  | Time Batch   | Method |
|------------------------------|--------------|-----------------------------|------|---------|----------|------|------|---------------|--------------|--------|
| Flow Injection Analysis      |              |                             |      |         |          |      |      |               |              |        |
| 9012_CYANIDE (TOT            | AL): COMM    | ION "As Received"           |      |         |          |      |      |               |              |        |
| Cyanide, Total               |              | 194                         | 1.67 | 5.00    | ug/L     | 1.00 | 1    | AXH3 03/09/18 | 0651 1745736 | 1      |
| 9014_CN (FREE): COM          | MMON "As l   | Received"                   |      |         |          |      |      |               |              |        |
| Free Cyanide                 |              | 5.72                        | 1.00 | 2.00    | ug/L     |      | 1    | AXH3 03/15/18 | 1037 1745740 | 2      |
| 9012_CN (AMENABL             | E): COMMC    | ON "See Parent Products"    |      |         |          |      |      |               |              |        |
| Cyanide amenable to chlorina | tion U       | 1.67                        | 1.67 | 5.00    | ug/L     |      | 1    | AXH3 03/09/18 | 0854 1745739 | 3      |
| Titration and Ion Analy      | sis          |                             |      |         |          |      |      |               |              |        |
| 2320_ALKALINITY: 0           | GW 01 "As R  | leceived"                   |      |         |          |      |      |               |              |        |
| Alkalinity, Total as CaCO3   |              | 127000                      | 1450 | 4000    | ug/L     |      |      | RXB5 03/14/18 | 1540 1745547 | 4      |
| Bicarbonate alkalinity (CaCO | 3)           | 127000                      | 1450 | 4000    | ug/L     |      |      |               |              |        |
| Carbonate alkalinity (CaCO3) | ) U          | 1450                        | 1450 | 4000    | ug/L     |      |      |               |              |        |
| Hydroxide alkalinity as CaCC | D3 U         | 1450                        | 1450 | 4000    | ug/L     |      |      |               |              |        |
| The following Prep Mer       | thods were p | erformed:                   |      |         |          |      |      |               |              |        |
| Method                       | Description  | n                           |      | Analyst | Date     | -    | Гime | Prep Batch    |              |        |
| SW846 9010C Distillation     | SW846 9010   | C Prep                      |      | AXH3    | 03/09/18 | (    | 0617 | 1745735       |              |        |
| SW846 9012B                  | SW846 9012   | B Cyanide, Chlorinated Prep |      | AXH3    | 03/09/18 | (    | 0651 | 1745737       |              |        |
|                              |              |                             |      |         |          |      |      |               |              |        |

#### The following Analytical Methods were performed:

| Method | Description     |  |
|--------|-----------------|--|
| 1      | 9012_CYANIDE    |  |
| 2      | 9014_CYANIDE    |  |
| 3      | 9012_CYANIDE    |  |
| 4      | 2320_ALKALINITY |  |

#### **Notes:**

Column headers are defined as follows:

DF: Dilution Factor Lc/LC: Critical Level
DL: Detection Limit PF: Prep Factor
MDA: Minimum Detectable Activity RL: Reporting Limit

MDC: Minimum Detectable Concentration SQL: Sample Quantitation Limit

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## **Certificate of Analysis**

Project:

Client ID:

Report Date: March 26, 2018

CPRC0W18002

CPRC001

Company: CH2MHill Plateau Remediation Company

Address: MSIN R3-50 CHPRC

PO Box 1600

Richland, Washington 99352

Contact: Mr. Scot Fitzgerald Project: CHPRC SAF W18-002

Client Sample ID: B3H3T0

Sample ID: 445441003 Matrix: WATER

Collect Date: 07-MAR-18 12:21 Receive Date: 08-MAR-18

Collector: Client

| Parameter                     | Qualifier    | Result          | DL               | RL   | Units | PF | DF Analyst Date | Time Batch   | Method |
|-------------------------------|--------------|-----------------|------------------|------|-------|----|-----------------|--------------|--------|
| Titration and Ion Analys      | is           |                 |                  |      |       |    |                 |              |        |
| 2320_ALKALINITY: G            | W 01 "As R   | eceived"        |                  |      |       |    |                 |              |        |
| Alkalinity, Total as CaCO3    |              | 128000          | 1450             | 4000 | ug/L  |    | RXB5 03/14/18   | 1543 1745547 | 1      |
| Bicarbonate alkalinity (CaCO3 | 3)           | 128000          | 1450             | 4000 | ug/L  |    |                 |              |        |
| Carbonate alkalinity (CaCO3)  | U            | 1450            | 1450             | 4000 | ug/L  |    |                 |              |        |
| Hydroxide alkalinity as CaCO  | 3 U          | 1450            | 1450             | 4000 | ug/L  |    |                 |              |        |
| The following Analytics       | al Methods v | vere performed: |                  |      |       |    |                 |              |        |
| Method                        | Description  |                 | Analyst Comments |      |       |    |                 |              |        |
| 1                             | 2320_ALKAL   | INITY           |                  |      |       | -  |                 |              |        |

#### **Notes:**

Column headers are defined as follows:

DF: Dilution Factor

DL: Detection Limit

MDA: Minimum Detectable Activity

Lc/LC: Critical Level

PF: Prep Factor

RL: Reporting Limit

MDC: Minimum Detectable Concentration SQL: Sample Quantitation Limit

Project:

Client ID:

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## **Certificate of Analysis**

Report Date: March 26, 2018

CPRC0W18002

CPRC001

CH2MHill Plateau Remediation Company Company:

Address: MSIN R3-50 CHPRC

PO Box 1600

Richland, Washington 99352

Contact: Mr. Scot Fitzgerald Project: CHPRC SAF W18-002

Client Sample ID: B3H3K2

Sample ID: 445441004 Matrix: WATER

Collect Date: 06-MAR-18 12:44 08-MAR-18 Receive Date:

Collector: Client

| Parameter  | Qualifier     | Result                      | DL   | RL      | Units    | PF   | DF   | Analyst Date  | Time | Batch   | Method |
|--|---------------|-----------------------------|------|---------|----------|------|------|---------------|------|---------|--------|
| Flow Injection Analysis                          |               |                             |      |         |          |      |      |               |      |         |        |
| 9012_CYANIDE (TOT                                | AL): COMM     | ION "As Received"           |      |         |          |      |      |               |      |         |        |
| Cyanide, Total                                   | D             | 351                         | 8.35 | 25.0    | ug/L     | 1.00 | 5    | AXH3 03/09/18 | 0710 | 1745736 | 1      |
| 9014_CN (FREE): CON                              | MMON "As F    | Received"                   |      |         |          |      |      |               |      |         |        |
| Free Cyanide                                     |               | 3.87                        | 1.00 | 2.00    | ug/L     |      | 1    | AXH3 03/15/18 | 1037 | 1745740 | 2      |
| 9012 CN (AMENABLE): COMMON "See Parent Products" |               |                             |      |         |          |      |      |               |      |         |        |
| Cyanide amenable to chlorina                     | tion U        | 8.35                        | 8.35 | 25.0    | ug/L     |      | 1    | AXH3 03/09/18 | 0854 | 1745739 | 3      |
| The following Prep Met                           | thods were pe | erformed:                   |      |         |          |      |      |               |      |         |        |
| Method   | Description   | 1                           | A    | Analyst | Date     | ]    | Гіте | Prep Batch    |      |         |        |
| SW846 9010C Distillation                         | SW846 90100   | C Prep                      | Α    | XH3     | 03/09/18 | C    | 0617 | 1745735       |      |         |        |
| SW846 9012B                                      | SW846 9012I   | B Cyanide, Chlorinated Prep | A    | XH3     | 03/09/18 | C    | 0651 | 1745737       |      |         |        |
| The following Analytic                           | al Methods v  | vere performed:             |      |         |          |      |      |               |      |         |        |

| Method | Description  | Analyst Comments |
|--------|--------------|------------------|
| 1      | 9012_CYANIDE |                  |
| 2      | 9014_CYANIDE |                  |
| 3      | 9012_CYANIDE |                  |

#### **Notes:**

Column headers are defined as follows:

DF: Dilution Factor Lc/LC: Critical Level DL: Detection Limit PF: Prep Factor MDA: Minimum Detectable Activity RL: Reporting Limit

MDC: Minimum Detectable Concentration SQL: Sample Quantitation Limit

Project:

Client ID:

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## **Certificate of Analysis**

Report Date: March 26, 2018

CPRC0W18002

CPRC001

Company: CH2MHill Plateau Remediation Company

Address: MSIN R3-50 CHPRC

PO Box 1600

Richland, Washington 99352

Contact: Mr. Scot Fitzgerald Project: CHPRC SAF W18-002

Client Sample ID: B3H3J9

Sample ID: 445441005

Matrix: WATER

Collect Date: 06-MAR-18 12:44 Receive Date: 08-MAR-18

Collector: Client

| Parameter                    | Qualifier     | Result                      | DL   | RL      | Units    | PF I | DF  | Analyst Date  | Time | Batch   | Method |
|------------------------------|---------------|-----------------------------|------|---------|----------|------|-----|---------------|------|---------|--------|
| Flow Injection Analysis      |               |                             |      |         |          |      |     |               |      |         |        |
| 9012_CYANIDE (TOT            | AL): COMM     | ON "As Received"            |      |         |          |      |     |               |      |         |        |
| Cyanide, Total               | D             | 374                         | 8.35 | 25.0    | ug/L     | 1.00 | 5   | AXH3 03/09/18 | 0715 | 1745736 | 1      |
| 9014_CN (FREE): COM          | MMON "As F    | Received"                   |      |         |          |      |     |               |      |         |        |
| Free Cyanide                 |               | 3.87                        | 1.00 | 2.00    | ug/L     |      | 1   | AXH3 03/15/18 | 1037 | 1745740 | 2      |
| 9012_CN (AMENABL             | E): COMMO     | N "See Parent Products"     |      |         |          |      |     |               |      |         |        |
| Cyanide amenable to chlorina | tion U        | 8.35                        | 8.35 | 25.0    | ug/L     |      | 1   | AXH3 03/09/18 | 0854 | 1745739 | 3      |
| The following Prep Mer       | thods were pe | erformed:                   |      |         |          |      |     |               |      |         |        |
| Method                       | Description   | 1                           | A    | Analyst | Date     | T    | ime | Prep Batch    |      |         |        |
| SW846 9010C Distillation     | SW846 90100   | C Prep                      | A    | XH3     | 03/09/18 | 06   | 617 | 1745735       |      |         |        |
| SW846 9012B                  | SW846 9012I   | 3 Cyanide, Chlorinated Prep | Α    | XH3     | 03/09/18 | 06   | 651 | 1745737       |      |         |        |
| TT1 C-11                     | .1 3 4 . 4 1. |                             |      |         |          |      |     |               |      |         |        |

#### The following Analytical Methods were performed:

| Method | Description  | Analyst Comments |
|--------|--------------|------------------|
| 1      | 9012_CYANIDE | •                |
| 2      | 9014 CYANIDE |                  |

3 9012\_CYANIDE

#### **Notes:**

Column headers are defined as follows:

DF: Dilution Factor

DL: Detection Limit

MDA: Minimum Detectable Activity

Lc/LC: Critical Level

PF: Prep Factor

RL: Reporting Limit

MDC: Minimum Detectable Concentration SQL: Sample Quantitation Limit

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## **Certificate of Analysis**

Project:

Client ID:

Report Date: March 26, 2018

CPRC0W18002

CPRC001

Company: CH2MHill Plateau Remediation Company

Address: MSIN R3-50 CHPRC

PO Box 1600

Richland, Washington 99352

Contact: Mr. Scot Fitzgerald Project: CHPRC SAF W18-002

Client Sample ID: B3H3L8

Sample ID: 445441006 Matrix: WATER

Collect Date: 07-MAR-18 08:25 Receive Date: 08-MAR-18

Collector: Client

| Parameter                     | Qualifier    | Result          | DL               | RL   | Units | PF | DF Analyst Date | Time Batch   | Method |
|-------------------------------|--------------|-----------------|------------------|------|-------|----|-----------------|--------------|--------|
| Titration and Ion Analys      | is           |                 |                  |      |       |    |                 |              |        |
| 2320_ALKALINITY: G            | W 01 "As R   | eceived"        |                  |      |       |    |                 |              |        |
| Alkalinity, Total as CaCO3    |              | 118000          | 1450             | 4000 | ug/L  |    | RXB5 03/14/18   | 1550 1745547 | 1      |
| Bicarbonate alkalinity (CaCO3 | )            | 118000          | 1450             | 4000 | ug/L  |    |                 |              |        |
| Carbonate alkalinity (CaCO3)  | U            | 1450            | 1450             | 4000 | ug/L  |    |                 |              |        |
| Hydroxide alkalinity as CaCO3 | 3 U          | 1450            | 1450             | 4000 | ug/L  |    |                 |              |        |
| The following Analytica       | al Methods w | vere performed: |                  |      |       |    |                 |              |        |
| Method                        | Description  |                 | Analyst Comments |      |       |    |                 |              |        |
|                               | 2222 177717  | ********        |                  |      |       |    |                 |              |        |

2320\_ALKALINITY

#### **Notes:**

Column headers are defined as follows:

DF: Dilution Factor

DL: Detection Limit

MDA: Minimum Detectable Activity

Lc/LC: Critical Level

PF: Prep Factor

RL: Reporting Limit

MDC: Minimum Detectable Concentration SQL: Sample Quantitation Limit



2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

# **QC Summary**

Report Date: March 26, 2018

Page 1 of 3

CH2MHill Plateau Remediation Company

MSIN R3-50 CHPRC PO Box 1600

Richland, Washington

Contact:

Mr. Scot Fitzgerald

Workorder: 445441

| Parmname   | NOM   | Sample Qual | QC   | Units | RPD%   | REC% | Range Anlst    | Date Time      |
|--|-------|-------------|------|-------|--------|------|----------------|----------------|
| Flow Injection Analysis Batch 1745736 ———          |       |             |      |       |        |      |                |                |
| QC1203986678 445441001 DUP<br>Cyanide, Total       | D     | 220 D       | 206  | ug/L  | 6.57   |      | (0%-20%) AXH3  | 03/09/18 07:53 |
| QC1203986677 LCS<br>Cyanide, Total                 | 50.0  |             | 48.9 | ug/L  |        | 97.8 | (80%-120%)     | 03/09/18 06:47 |
| QC1203986676 MB<br>Cyanide, Total                  |       | U           | 1.67 | ug/L  |        |      |                | 03/09/18 06:46 |
| QC1203986680 445441001 MS<br>Cyanide, Total        | 100 D | 220 D       | 304  | ug/L  |        | 84   | (75%-125%)     | 03/09/18 07:54 |
| Batch 1745738 ———                                  |       |             |      |       |        |      |                |                |
| QC1203986684 445441001 DUP<br>Cyanide, Chlorinated | D     | 214 D       | 214  | ug/L  | 0      |      | (0%-20%) AXH3  | 03/09/18 07:35 |
| QC1203986683 LCS<br>Cyanide, Chlorinated           | 50.0  | U           | 1.67 | ug/L  |        | 0 (- | 200%-200%)     | 03/09/18 07:18 |
| QC1203986682 MB<br>Cyanide, Chlorinated            |       | U           | 1.67 | ug/L  |        |      |                | 03/09/18 07:17 |
| Batch 1745740 ———                                  |       |             |      |       |        |      |                |                |
| QC1203986687 445441001 DUP<br>Free Cyanide         |       | 3.66        | 2.64 | ug/L  | 32.7 ^ |      | (+/-2.00) AXH3 | 03/15/18 10:37 |
| QC1203988663 445458001 DUP<br>Free Cyanide         | U     | 1.00 U      | 1.00 | ug/L  | N/A    |      |                | 03/15/18 10:37 |

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

## **QC Summary**

| *** * *                                      |      | -      |       |        |       |      |      |            |       |          |             |
|--|------|--------|-------|--------|-------|------|------|------------|-------|----------|-------------|
| Workorder: 445441                            | NOM  | Commit | Orral | 00     | TT *4 | RPD% | DECO | Dama       | A 1 4 |          | 2 of 3      |
| Parmname Flow Injection Analysis             | NOM  | Sample | Quai  | QC     | Units | KPD% | REC% | Range      | Anlst | Date '   | <u>11me</u> |
| Batch 1745740                                |      |        |       |        |       |      |      |            |       |          |             |
| QC1203986686 LCS<br>Free Cyanide             | 25.0 |        |       | 24.4   | ng/I  |      | 97.8 | (80%-120%) | AVU2  | 02/15/19 | 2 10.27     |
| rice Cyanide                                 | 23.0 |        |       | 24.4   | ug/L  |      | 97.0 | (80%-120%) | АЛПЭ  | 03/13/10 | 3 10.37     |
| QC1203986685 MB                              |      |        |       |        |       |      |      |            |       |          |             |
| Free Cyanide                                 |      |        | U     | 1.00   | ug/L  |      |      |            |       | 03/15/18 | 3 10:37     |
|  |      |        |       |        |       |      |      |            |       |          |             |
| Titration and Ion Analysis Batch 1745547 ——— |      |        |       |        |       |      |      |            |       |          |             |
| QC1203986248 445545001 DUP                   |      |        |       |        |       |      |      |            |       |          |             |
| Alkalinity, Total as CaCO3                   |      | 111000 |       | 111000 | ug/L  | 0.36 |      | (0%-20%)   | RXB5  | 03/14/18 | 3 16:01     |
| Bicarbonate alkalinity (CaCO3)               |      | 111000 |       | 111000 | ug/L  | 0.36 |      | (0%-20%)   |       |          |             |
| Bleatoonate arkaninty (CaCO3)                |      | 111000 |       | 111000 | ug/L  | 0.50 |      | (070-2070) |       |          |             |
| Carbonate alkalinity (CaCO3)                 | U    | 1450   | U     | 1450   | ug/L  | N/A  |      |            |       |          |             |
|  |      |        |       |        |       |      |      |            |       |          |             |
| Hydroxide alkalinity as CaCO3                | U    | 1450   | U     | 1450   | ug/L  | N/A  |      |            |       |          |             |
|  |      |        |       |        |       |      |      |            |       |          |             |
| QC1203986246 LCS                             |      |        |       |        |       |      |      |            |       |          |             |

#### Notes:

Alkalinity, Total as CaCO3

The Qualifiers in this report are defined as follows:

- Sample is below the EPA guidance level for Reactive Releasable Cyanide and/or Reactive Releasable Sulfide
- > Result greater than quantifiable range or greater than upper limit of the analysis range

100000

B The analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the IDL/MDL (as appropriate).

107000

ug/L

107

(80%-120%)

- C Target analyte was detected in the sample and the associated blank. The associated blank concentration is >= EQL or is > 5% of the measured concentration and/or decision level for associated samples.
- D Results are reported from a diluted aliquot of sample.
- N Spike Sample recovery is outside control limits.
- U Analyzed for but not detected above limiting criteria. Includes MDL, MDA, PQL, zero, counting error, and total analytical error.
- X Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Y Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Z Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier

03/14/18 15:05

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

## **QC Summary**

Workorder: 445441 Page 3 of 3

Parmname NOM Sample Qual QC Units RPD% REC% Range Anlst Date Time

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more or %RPD not applicable.  $^{\circ}$  The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

\* Indicates that a Quality Control parameter was not within specifications.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.